Deploying and Operating Secure Systems

Julia H. Allen, Software Engineering Institute [vita³]

Copyright © 2006 Carnegie Mellon University

2006-11-01

This article provides a brief overview of deployment and operations security issues, notes to the reader to set expectations, and a recommended order for using the practices described in this content area.

Challenges that Organizations Face

Most organizations that are deploying and operating systems for customers and for themselves (including their own computing infrastructures) do not fully understand the discipline needed to ensure adequate software, computer, and information security (availability, confidentiality, integrity). Current trends indicate that IT operations departments are expending increasing effort to sustain existing system and security capabilities, making it exceedingly difficult to improve performance and add new features, services, products, and technologies.

Some of the factors contributing to this challenge include

- marketplace pressures for increased effectiveness, efficiency, and security that require more agile, timely, and responsive solutions for applications and systems.
- worldwide market factors such as globalization (including offshoring, outsourcing, and global supply chains)
- customer-driven requirements that are emergent
- the increasing need for organizations to interconnect with their partners, customers, suppliers, and service providers
- rapidly evolving technology platforms, tools, and other solutions that must be integrated into the operational environment

Physical security, authentication, and firewalls defend against external threats, but employees and contractors are authorized to bypass these measures. Current and former employees and contractors who have or had authorized access to their organization's system and networks are familiar with internal policies, procedures, and technology and can exploit that knowledge to facilitate attacks and even collude with external attackers. External and insider threats⁴ need to be mitigated during deployment and operations.

The policies, procedures, processes, controls, and performance measures selected, enforced, and continuously improved during deployment and operation of systems often determine whether software and systems will function in a secure and survivable manner.

Notes to the Reader

- 3. daisy:215 (Allen, Julia H.)
- 5. http://www.cert.org/insider_threat/
- 4. Research conducted by CERT since 2001 has focused on gathering data about actual malicious insider acts, including sabotage, fraud, theft of confidential or proprietary information, and potential threats to our nation's critical infrastructure. CERT's insider threat research⁵ is based on actual compromises and focuses on attack methods and tools, precursor activity, and how the insiders were detected and identified.

Practices specific to the deployment and operations of software and systems that have been developed using a secure development life cycle approach are not well documented, given that this is a relatively new venture for most development organizations. A great deal is known about how to develop secure software (the Build Security In web site being a case in point) but sufficient time has not passed for the broad adoption of secure development practices or to capture and analyze how systems behave when they have been developed with security in mind.

Thus, this set of articles focuses on the current state of practice, which is providing an environment within which systems and software are more likely to operate securely. It is encouraging to note that many accepted standards, frameworks, and guidelines for providing a secure operating environment (described here) are now including practices for secure acquisition and development.

How to Use the Articles in this Content Area

Articles 1 through 4 present a recommended order of practices to tackle. Of course, like every improvement life cycle, this recommended progression is iterative and can start with a small scope that expands over time:

- First, put an improvement cycle in place (even a modest one), confirm that prerequisite practices and the results they produce exist or work to do this, and make sure basic security hygiene practices are deployed. Consider and select a security practice implementation framework (Article 1: Plan, Do, Check, Act⁶).
- Next, use a risk-centered approach to determine what assets (systems, software) are most critical to protect and the mitigating actions to protect these assets. This includes identifying what security practices to deploy and in what order (Article 2: Risk-Centered Practices⁷).
- Then, ensure that appropriate security practices and controls are embedded within hopefully mature and well-defined IT operational processes. Learn from organizations that are doing this particularly well (Article 3: Integrating Security and IT⁸, Article 4: Prioritizing IT Controls for Effective Security9).
- Finally, review the range of available standards, frameworks, and guidelines on operational security practices for implementation guidance. These have all been in use for a number of years and are well vetted by their respective communities and market sectors (Article 5: Navigating the Security Practice Landscape ¹⁰).

Articles 1, 2, and 5 include extensive tables at the end of each article that provide supporting details and sources for the recommendations made in these articles. The tables are placed at the end to make the articles easier to read and follow.

Carnegie Mellon Copyright

Copyright © Carnegie Mellon University 2005-2007.

Permission to reproduce this document and to prepare derivative works from this document for internal use is granted, provided the copyright and "No Warranty" statements are included with all reproductions and derivative works.

6. daisy:574 (Plan, Do, Check, Act)

For inquiries regarding reproducing this document or preparing derivative works of this document for daily 575 (Risk-Centered Practices) external and commercial use, including information about "Fair Use," see the Permissions page on the SEI web \$760 Productor Controls for Effective, Measurable Security)

- 10. daisy:582 (Navigating the Security Practice Landscape)
- 1. http://www.sei.cmu.edu/about/legal-permissions.html

The Build Security In (BSI) portal is sponsored by the U.S. Department of Homeland Security (DHS), National Cyber Security Division. The Software Engineering Institute (SEI) develops and operates BSI. DHS funding supports the publishing of all site content.

Fields

| Name | Value |
|------------------|-------|
| Copyright Holder | SEI |

Fields

| Name | Value |
|--------------------------|--|
| is-content-area-overview | true |
| Content Areas | Best Practices/Deployment & Operations |
| SDLC Relevance | Deployment |
| Workflow State | Publishable |
| Sort Order | 1 |